

PRODUCT SPECIFICATIONS



EQUIPTER®
7000

TOWABLE
DRIVABLE
BOOM HANDLER



The Towable Boom Handler

PROJECTED SPECIFICATIONS

GVWR

14,000 lbs

Tare Weight

9,620 lbs

Lift Capacity

4,000 lbs

Unit Width

6'-9"

Boom Extension

11'-0"

Lift Height

25'-5"

SPECIFICATIONS

FEATURES

Tow Mode Length 16'-6"

Option to attach box or forks

Work Mode Length 15'-10"

Box lids open for wide catch span

Height 7'-1"

Dedicated location to secure forks for towing

Container Volume 4 cu. yd.

Traction mat storage

Towing Payload 4,380 lbs.

Telescoping boom

Engine Vanguard 400

Three steering modes: 2-wheel, 4-wheel, crab

Engine Horsepower 40 hp

Rear axle slides rearward for towing

Engine Fuel Capacity 8 gal.

Wheels disengage for towing

Engine Oil Type 10W-30

Locking door latch w/ padlock compatibility

Tire Size 315/75R16 Load Range E

Adjustable length front outriggers

Hydraulic Oil Type Chevron Rando HD Premium MV

Hydraulic tailgate

Radio control

COMPATIBLE ACCESSORIES

Debris Container

Fork Assembly

Roof Chute

Gutter Guard

Track Mat

equipter.com/products/7000

sales@equipter.com | 717-661-3591



Patented technology: see all of our patents at <https://newheightsmfg.com/patents>




EQUIPTER®
7000


The Towable Boom Handler

PROJECTED DIMENSIONS


LIFT WITH CONTAINER



LIFT WITH FORKS



DRIVE



TOW

